

2026

Contract



TRÉS



SPECIFIERS' AREA ON THE WEBSITE

Access all official Tres resources in one place. Material created to inspire you, streamline your work, and help you design with precision.

Contract Catalogue in digital format.

Product listing in Excel format.

Tres Presto Catalogue.

BIM data download.

Sample requests via Material Bank.

Technical documents on our PBT and Trivalent Chrome finishes.

Support image downloads.

Success case examples.

Contract

This catalogue brings together Tres solutions for Contract sector projects. A clear and practical guide designed for architects, interior designers and professionals seeking design, reliability and an industrial response. You will find selected collections, tailored options and services for highly demanding projects.


We present our selection of tapware collections for the contract sector, designed for bathrooms and shared spaces, with inspiring designs that cover all categories and styles of spaces, prioritising user experience, ease of installation and simple maintenance.

You will find more collections and water solutions at tresgriferia.com


Our selected collections




Study



Loft



Fuji




Project




Canigó


Everything for the hotel



Complements



Outdoor taps



Electronic taps



Kitchen space

A trusted partner for contract projects

Tres offers a comprehensive selection of tapware collections designed for hotels, restaurants, residential and public spaces, supported by the technical expertise and close involvement of a European manufacturer.





Tapware for sample rooms

We supply tapware for mock-up rooms, enabling clients to visualise how each collection integrates into hospitality and residential projects.

Supervision during installation

We oversee the installation process to ensure optimal integration and a flawless finish in every space.

Training in installation and maintenance

We provide specialised training for technical teams, ensuring the correct performance and durability of the tapware.

Technical support service

We have a network of over 160 qualified technicians across Europe and Latin America, offering responsive, professional and local assistance.

From Barcelona, with purpose

Designing and manufacturing in Barcelona is a meaningful choice. It means working close by, with control, coherence and commitment. At Tres, every tap is born here, the result of experience, innovation and a way of working that combines industry, design and Mediterranean sensibility.

Why design and manufacture in our own facilities?

- Total coherence between design, engineering and finish.
- Quality control at every stage of the process.
- Industrial agility: from idea to product without intermediaries.
- Real adaptability to market needs.
- Tangible sustainability thanks to full traceability.
- A culture of craftsmanship based on technical knowledge and conscious design.





Tres facilities in Vallirana (Barcelona)



- | | |
|----------------|----------------------|
| 1. Design | 7. Surface treatment |
| 2. Engineering | 8. Assembly |
| 3. Electronics | 9. Laboratory |
| 4. Foundry | 10. Packaging |
| 5. Machining | 11. Shipping |
| 6. Polishing | |

Durable materials, real efficiency and a tangible commitment



The taps are manufactured with refined brass produced in Europe, with low lead content, in accordance with the European Standard (UNE-EN 10204).



Tres tapware is available in different finishes. All of them are applied by combining industrial processes with artisanal control to deliver a perfect and highly resistant result.



Tres offers up to a 5-year warranty on many of its best-selling products.



The state-of-the-art laboratory is equipped for acoustic testing according to the European standard EN 200-2008, analysing products to reduce water and energy consumption.



The visual and functional verification of 100% of the components, together with non-migration rubbers and non-toxic greases, ensures that the products successfully pass official European audits.



Both products and production processes are certified by the leading organisations.



Self-consumption through solar panels makes it possible to generate our own sustainable energy, reducing dependence on external sources and promoting a more responsible and efficient use of electricity.




Self-produced cardboard packaging significantly reduces the use of plastics and transport, promoting more sustainable and environmentally responsible solutions throughout the supply chain.

Responsible design for conscious people



Low energy consumption system in which the tap always opens with cold water, preventing the unnecessary activation of the heater. Designed and patented by Tres since 1992.



Water-saving system with a two-position handle opening. In the intermediate position, water consumption is reduced by 50%. Designed and patented by Tres since 2010.



Adjustable aerator with a flow limiter of 5.7 lpm, reducing water consumption to less than 50% compared to conventional taps while maintaining comfort.



The taps are manufactured with refined brass produced in Europe, with low lead content, in accordance with the European Standard (UNE-EN 10204).



Trivalent chrome plating, ensuring a durable surface, resistance over time and easy cleaning of the tapware.



Cartridge with ceramic discs providing smooth handle operation. Designed and patented by Tres, with a certified service life of 200,000 cycles (Aenor-NF).



Protec-tres anti-scald system. The cartridge ring allows the maximum desired temperature to be limited.

				
BR1	5	5	7,6	7,6
BR2	1,9	3,8	6	6
BR3	-	1,9	3	

BR flow limiters in the tapware, enabling access to certifications such as LEED, BREEAM, REACH or EDGE.



PBT®

Protection
Brushed
Technology



PBT® (Protection Brushed Technology) is Tres' exclusive industrial multi-layer coating process, designed to deliver high-quality, ultra-resistant, and aesthetically flawless finishes for demanding interior design environments.

x5

more resistant to corrosion than
required by EN-248 standards

x2

more resistant to abrasion
wear than chrome



Black bronze



Golden Cava

Maximum corrosion resistance


PBT® finishes protect against oxidation and moisture, ensuring long-lasting performance even in demanding environments.

Long-lasting adhesion

The multi-layer process creates a strong bond between the coating and the metal, preventing wear or peeling over time.

Color stability

PBT® pigments and treatments preserve a vibrant, uniform, and elegant color, unaffected by use or exposure.



- 4 **Thermosetting synthetic resin over sealing base**
Impermeability, hardness, and pigmentation
- 3 **Nickel 2**
Corrosion protection
- 2 **Nickel 1**
Corrosion protection
- 1 **Copper**
Anchoring and leveling
- Faucet base material**
Low lead brass



Volcanic



Graphite



Chrome3 Technology® (Cr^{3+}) is Tres' exclusive trivalent chrome plating process that redefines chrome finishes: maximum resistance, flawless aesthetics, and industrial responsibility for demanding, future-ready projects.

Maximum corrosion resistance


AASS test (UNE-EN 248) up to 120 hours without failure, ensuring protection against humidity, chemical agents, and demanding environments.

Long-lasting adhesion

The multi-layer process creates a strong bond between the coating and the metal, preventing wear or peeling over time.

Unalterable finish

Trivalent chrome maintains uniformity, mirror-like shine, and flawless aesthetics without alteration due to use or exposure.



- 4 **Trivalent chromium (Cr^{3+})**
Impermeability, hardness, and finish stability
 - 3 **Semi-bright nickel**
Anti-corrosion barrier that reinforces structural durability
 - 2 **Bright nickel**
Aesthetic uniformity and additional protection against wear
 - 1 **Copper**
Ensures perfect anchoring and coating consistency
- Faucet base material**
Low lead brass







Study

Delicate yet assertive, the Study collection is built from slender cylindrical volumes and refined proportions. Its formal language is clean, serene, and precise. A minimalist design that draws strength from geometric purity and the distinctiveness of its metallic finishes. Subtle sophistication for intentional spaces.



→
262470050M
Graphite

→
26238004GR
Graphite

→
26110501GR
Graphite





↑
262307010M
Matte gold 24k

→
262470050M
Matte gold 24k



A serene and luminous bathroom where Study brings balance and sophistication. Its refined lines elevate the experience in contemporary and timeless hotel projects.



↑
06110501
Chrome


→
26247005
Chrome



Washbasin taps

Single-lever washbasin mixer


G3/8 flexible hoses.



26290301	176,00
26290301NM	273,00
26290301BM	273,00
26290301AC	273,00
26290301KMB	299,00
26290301VO	299,00
26290301CA	299,00
26290301GR	299,00
26290301OM	422,00
26290301OPM	422,00

High single-lever washbasin mixer


G3/8 flexible hoses.



26230701	334,00
26230701NM	517,00
26230701BM	517,00
26230701AC	517,00
26230701KMB	568,00
26230701VO	568,00
26230701CA	568,00
26230701GR	568,00
26230701OM	801,00
26230701OPM	801,00

Deck-mounted 2-hole basin mixer


Can be freely installed.




26110501	253,00
26110501NM	391,00
26110501BM	391,00
26110501AC	391,00
26110501KMB	429,00
26110501VO	429,00
26110501CA	429,00
26110501GR	429,00
26110501OM	606,00
26110501OPM	606,00

Deck-mounted 3-hole basin mixer

Can be freely installed. With levers.



06110501	297,00
06110501NM	461,00
06110501BM	461,00
06110501AC	461,00
06110501KMB	506,00
06110501VO	506,00
06110501CA	506,00
06110501GR	506,00
06110501OM	714,00
06110501OPM	714,00

	Visible part for recessed sink body ✕ Concealed body not included (ref. 20830002). Visible part only. Includes concealing plate, lever and 237 mm spout.	<table> <tr> <td></td><td>262300022</td><td>206,00</td></tr> <tr> <td></td><td>262300022NM</td><td>319,00</td></tr> <tr> <td></td><td>262300022BM</td><td>319,00</td></tr> <tr> <td></td><td>262300022AC</td><td>319,00</td></tr> <tr> <td></td><td>262300022KMB</td><td>350,00</td></tr> <tr> <td></td><td>262300022VO</td><td>350,00</td></tr> <tr> <td></td><td>262300022CA</td><td>350,00</td></tr> <tr> <td></td><td>262300022GR</td><td>350,00</td></tr> <tr> <td></td><td>262300022OM</td><td>494,00</td></tr> <tr> <td></td><td>262300022OPM</td><td>494,00</td></tr> </table>		262300022	206,00		262300022NM	319,00		262300022BM	319,00		262300022AC	319,00		262300022KMB	350,00		262300022VO	350,00		262300022CA	350,00		262300022GR	350,00		262300022OM	494,00		262300022OPM	494,00
	262300022	206,00																														
	262300022NM	319,00																														
	262300022BM	319,00																														
	262300022AC	319,00																														
	262300022KMB	350,00																														
	262300022VO	350,00																														
	262300022CA	350,00																														
	262300022GR	350,00																														
	262300022OM	494,00																														
	262300022OPM	494,00																														
	Recessed body for sink mixer	<table> <tr> <td>20830002</td><td>90,00</td></tr> </table>	20830002	90,00																												
20830002	90,00																															


Bidet taps

Single-lever bidet mixer

Adjustable shower head. G3/8 flexible hoses.

	26212001	188,00
	06212001NM	292,00
	06212001BM	292,00
	06212001AC	292,00
	06212001KMB	320,00
	06212001VO	320,00
	06212001CA	320,00
	06212001GR	320,00
	06212001OM	452,00
	06212001OPM	452,00

910719005




Concealed single-lever WC/ bidet mixer

With cold and hot water. Hand shower with 5 l/min limiter coupling and non-drip system. Fixed support for hand shower for installation on right or left. Satin hose.



134123	203,00
134123NM	315,00
134123BM	315,00
134123AC	315,00
134123KMB	346,00
134123VO	346,00
134123CA	346,00
134123GR	346,00
134123OM	488,00
134123OPM	488,00

Shower area



Floorstanding bath mixer

Concealed body not included (ref. 26285350).
1 floor-mounted vertical water supply column. Support for hand shower with independent flow regulation and closure. Anti-limescale brass hand shower. Satin hose.




26247005	1180,00
26247005NM	1829,00
26247005BM	1829,00
26247005AC	1829,00
26247005KMB	2006,00
26247005VO	2006,00
26247005CA	2006,00
26247005GR	2006,00
26247005OM	2833,00
26247005OPM	2833,00



Concealed base for floor-mounted tapware installation

26285350 200,00



Rapid-box 2-way concealed single-lever shower mixer kit

Concealed body not included (ref. 20828110).
· 2-way distributor lever.
· Wall-mounted arm with adjustable stainless steel shower head: Ø 300 mm.
· Wall-mounted support for hand shower with water supply.
· Anti-limescale brass hand shower.
· Satin hose.




26238004	476,00
26238004NM	738,00
26238004BM	738,00
26238004AC	738,00
26238004KMB	809,00
26238004VO	809,00
26238004CA	809,00
26238004GR	809,00
26238004OM	1142,00
26238004OPM	1142,00



Concealed Rapid-box, 2-way

20828110 95,00



Rapid-box 2-way concealed single-lever mixer kit for bath and shower

✕ Concealed body not included (ref. 20828110).

- 2-way distributor lever.
- Fixed wall-mounted spout.
- Wall-mounted support for hand shower with water supply.
- Anti-limescale brass hand shower.
- Satin hose.




26238006	348,00
26238006NM	539,00
26238006BM	539,00
26238006AC	539,00
26238006KMB	592,00
26238006VO	592,00
26238006CA	592,00
26238006GR	592,00
26238006OM	835,00
26238006OPM	835,00



Concealed Rapid-box, 2-way

20828110

95,00




B-system 2-way concealed thermostatic shower mixer kit

- Concealed thermostatic body for horizontal installation included.
- Flow regulator and 2-way ceramic distributor.
- Round lever.
- Wall-mounted arm with adjustable stainless steel shower head: Ø 300 mm.
- Wall-mounted support for hand shower with water supply.
- Anti-limescale brass hand shower.
- Satin hose.



30735204	868,00
30735204NM	1.345,00
30735204AC	1.345,00
30735204KMB	1.475,00
30735204VO	1.475,00
30735204CA	1.475,00
30735204GR	1.475,00
30735204OM	2.083,00
30735204OPM	2.083,00




Shower technology 2-way concealed electronic thermostatic shower tap kit

- Electronic control included with Schlüter anti-moisture seals.
- Electronic thermostatic control box included (2-way).
- Ceiling-mounted arm with adjustable stainless steel shower head: Ø 300 mm.
- Wall-mounted support for hand shower with water supply.
- Anti-limescale brass hand shower.
- Satin hose.



09286567	1.264,00
09286567OM	2.083,00
09286567OPM	2.083,00
09288567NM	1.338,00



Shower technology, 2-way concealed electronic thermostatic shower mixer kit


09286565

1.747,00

- Electronic control included with Schlüter anti-moisture seals.
- Electronic thermostatic control box included (2-way).
- Concealed stainless steel ceiling-mounted shower head: Ø 380 mm.
- Sliding bar with ceiling water intake. Length: 1.040 mm.
- Anti-limescale brass hand shower.
- Satin hose.







Loft

Loft combines flat surfaces and gentle contours in a balanced and versatile collection. Its timeless design integrates naturally into all kinds of spaces, from the most understated to the most expressive. A broad and coherent range, conceived to succeed every time, with style and functionality.



↑
22230002BM
Matte white

→
22238004KMB
Black bronze

→
22230002KMB
Black bronze

A nature-inspired bathroom where Loft defines the space with purity and character. Its essential design brings sophistication and coherence to hotel projects.






↑
22220401CA
Golden cava

Single-lever washbasin mixer

G3/8 flexible hoses.

22210301	144,00
22210301NM	223,00
22210301BM	223,00
22210301AC	223,00
22210301KMB	245,00
22210301CA	245,00
22210301OM	346,00




High single-lever washbasin mixer

G3/8 flexible hoses.

With eco-efficient Cold-tes technology: the central position of the lever always dispenses cold water.

22220401	268,00
22220401NM	415,00
22220401BM	415,00
22220401AC	415,00
22220401KMB	456,00
22220401CA	456,00
22220401OM	643,00




Visible part for recessed sink body

✗ Concealed body not included (ref. 20830002).

Visible part only. Includes concealing plate, lever and 216 mm spout.


22230002	176,00
22230002NM	273,00
22230002BM	273,00
22230002AC	273,00
22230002KMB	299,00
22230002CA	299,00
22230002OM	422,00



Recessed body for sink mixer

20830002	90,00
----------	-------

Bidet taps




Single-lever bidet mixer
Adjustable shower head. G3/8 flexible hoses.



22212001	147,00
22212001NM	228,00
22212001BM	228,00
22212001AC	228,00
22212001KMB	250,00
22212001CA	250,00
22212001OM	353,00

Shower area




2-way Duo-confort shower mixer set

- With diverter integrated into the flow regulator.
- Telescopic shower bar.
- Stainless steel adjustable shower head: Ø 300 mm.
- Adjustable and sliding support for hand shower.
- Anti-limescale hand shower: Ø 110 mm. (3 functions).
- Satin hose.



22219901	525,00
22219901NM	814,00
22219901BM	814,00
22219901AC	814,00
22219901KMB	893,00
22219901CA	893,00
22219901OM	1.260,00



Rapid-box 2-way concealed single-lever shower mixer kit

✖ Concealed body not included (ref. 20828110).

- 2-way distributor lever.
- Wall-mounted arm with stainless steel shower head: Ø 300 mm.
- Wall-mounted support for hand shower with water supply.
- Anti-limescale hand shower: Ø 110 mm. (3 functions).
- Satin hose.




22238004	479,00
22238004NM	742,00
22238004BM	742,00
22238004AC	742,00
22238004KMB	814,00
22238004CA	814,00
22238004OM	1.150,00



Concealed Rapid-box, 2-way

20828110	95,00
----------	-------




2-way Over-wall thermostatic shower mixer set

- With integrated diverter in the flow regulator.
- Round lever.
- Stainless steel adjustable shower head: Ø300 mm.
- Adjustable and sliding support for hand shower.
- Anti-limescale hand shower: Ø110 mm. (3 functions).
- Satin hose.



19039314	538,00
19039314NM	834,00
19039314BM	834,00
19039314AC	834,00
19039314KMB	915,00
19039314CA	915,00
19039314OM	1.292,00



Therm-box 2-way concealed thermostatic shower kit

- ✗ Concealed body not included (ref. 20785001).
- Round lever with temperature control and distribution lever.
- Wall-mounted arm with adjustable stainless steel shower head: Ø 300 mm.
- Wall-mounted support for hand shower with water supply.
- Anti-limescale brass hand shower.
- Satin hose.



26235004	498,00
26235004NM	772,00
26235004BM	772,00
26235004AC	772,00
26235004KMB	847,00
26235004CA	847,00
26235004OM	1.195,00



Concealed Therm-box, 2-way

20785001	140,00
----------	--------





Fuji

Fuji reinterprets the curve in its most fluid form, evoking the softness of water in motion. An organic and minimalist design that conveys serenity. Ideal for those seeking tapware with a gentle presence, emotional connection, and an aesthetic inspired by natural, contemporary beauty.



←
28130022OPM
Matte rose gold 24k

→
28135004OPM
Matte rose gold 24k



A warm and sensory space where Fuji brings character and balance. Its soft shapes interact with natural materials, creating bathrooms with identity and enduring elegance.



A bathroom connected to its surroundings, where the Fuji collection in matte black finish brings contrast and depth. It reinforces a Mediterranean aesthetic based on comfort and authenticity.

←
28120301NM
Matte black

↓
28119701NM
Matte black






↑
28110401VO
Volcanic

↑
19038705VO
Volcanic


Washbasin taps



Eco-efficient single-lever washbasin mixer
G3/8 flexible hoses.




28110401	138,00
28110401NM	214,00
28110401AC	214,00
28110401KMB	235,00
28110401VO	235,00
28110401CA	235,00
28110401OPM	331,00



High single-lever washbasin mixer
G3/8 flexible hoses.



28120301	253,00
28120301NM	391,00
28120301AC	391,00
28120301KMB	429,00
28120301VO	429,00
28120301CA	429,00
28120301OPM	606,00



Visible part for recessed sink body

✗ Concealed body not included (ref. 20830002).
Visible part only. Includes concealing plate, lever and 237 mm spout.


28130022	166,00
28130022NM	257,00
28130022AC	257,00
28130022KMB	282,00
28130022VO	282,00
28130022CA	282,00
28130022OPM	398,00



Recessed body for sink mixer

20830002	90,00
----------	-------

Bidet taps




Single-lever bidet mixer
Adjustable shower head. G3/8 flexible hoses.



28112001	137,00
28112001NM	212,00
28112001AC	212,00
28112001KMB	233,00
28112001VO	233,00
28112001CA	233,00
28112001OPM	329,00


Shower area



2-way wall-mounted single-lever shower mixer set

- With diverter integrated.
- Stainless steel adjustable shower head: Ø 300 mm.
- Adjustable and sliding support for hand shower.
- Anti-limescale hand shower: Ø 110 mm. (3 functions).
- Satin hose.

28119101	532,00
28119101NM	824,00
28119101AC	824,00
28119101KMB	904,00
28119101VO	904,00
28119101CA	904,00
28119101OPM	1.276,00



2-way wall-mounted single-lever shower mixer set

- With diverter integrated.
- Stainless steel adjustable shower head: Ø 300 mm.
- Telescopic shower bar.
- Adjustable and sliding support for hand shower.
- Anti-limescale hand shower: Ø 110 mm. (3 functions).
- Satin hose.

28119701	565,00
28119701NM	876,00
28119701AC	876,00
28119701KMB	960,00
28119701VO	960,00
28119701CA	960,00
28119701OPM	1.356,00



Rapid-box 2-way concealed single-lever shower mixer kit


- Concealed body not included (ref. 20828110).
- 2-way distributor lever.
- Wall-mounted arm with stainless steel shower head: Ø 300 mm.
- Wall-mounted support for hand shower with water supply.
- Anti-limescale brass hand shower.
- Satin hose.

28138004	461,00
28138004NM	715,00
28138004AC	715,00
28138004KMB	784,00
28138004VO	784,00
28138004CA	784,00
28138004OPM	1.106,00



Concealed Rapid-box, 2-way

20828110	95,00
----------	-------





2-way Over-wall thermostatic shower mixer set

- With integrated diverter in the flow regulator.
- Oval lever.
- Telescopic shower bar.
- Stainless steel adjustable shower head: Ø 300 mm.
- Adjustable and sliding support for hand shower.
- Anti-limescale hand shower: Ø 110 mm. (3 functions).
- Satin hose.

19038705	621,00
19038705NM	962,00
19038705AC	962,00
19038705KMB	1.055,00
19038705VO	1.055,00
19038705CA	1.055,00
19038705OPM	1.489,00

29916833XK

Therm-box 2-way concealed thermostatic shower kit

✗ Concealed body not included (ref. 20785001).

- Oval lever with temperature control and distribution lever.
- Wall-mounted arm with adjustable stainless steel shower head: Ø 300 mm.
- Wall-mounted support for hand shower with water supply.
- Anti-limescale brass hand shower.
- Satin hose.

28135004	475,00
28135004NM	736,00
28135004AC	736,00
28135004KMB	808,00
28135004VO	808,00
28135004CA	808,00
28135004OPM	1.140,00



Concealed Therm-box, 2-way

20785001	140,00
----------	--------





Project

Project is a versatile and genuine collection, conceived for spaces seeking functionality without sacrificing design. Featuring clean lines and simple forms, it delivers a discreet aesthetic that integrates naturally into any setting. A reliable and coherent solution for those who value practicality with style.

Project brings precision and versatility. Functional and robust design for demanding projects, with efficiency and durability.






↑
22119901AC
Steel

←
22130002GR
Graphite

←
22138004GR
Graphite



↑
22110301VO
Volcanic




Single-lever washbasin mixer

G3/8 flexible hoses.



	22110301	122,00
	22110301NM	189,00
	22110301BM	189,00
	22110301AC	189,00
	22110301KMB	207,00
	22110301VO	207,00
	22110301CA	207,00
	22110301GR	207,00
	22110301OM	293,00
	22110301OPM	293,00




High single-lever washbasin mixer

G3/8 flexible hoses.

With eco-efficient Cold-tres technology: the central position of the lever always dispenses cold water.



	22120401	256,00
	22120401NM	397,00
	22120401BM	397,00
	22120401AC	397,00
	22120401KMB	435,00
	22120401VO	435,00
	22120401CA	435,00
	22120401GR	435,00
	22120401OM	614,00
	22120401OPM	614,00



Visible part for recessed sink body

✕ Concealed body not included (ref. 20830002).

Visible part only. Includes concealing plate, lever and 216 mm spout.




Recessed body for sink mixer

	22130002	165,00
	22130002NM	256,00
	22130002BM	256,00
	22130002AC	256,00
	22130002KMB	281,00
	22130002VO	281,00
	22130002CA	281,00
	22130002GR	281,00
	22130002OM	396,00
	22130002OPM	396,00

20830002	90,00
----------	-------

Bidet taps




Single-lever bidet mixer
Adjustable shower head. G3/8 flexible hoses.



	22112001	125,00
	22112001NM	194,00
	22112001BM	194,00
	22112001AC	194,00
	22112001KMB	213,00
	22112001VO	213,00
	22112001CA	213,00
	22112001GR	213,00
	22112001OM	300,00
	22112001OPM	300,00


Shower area



2-way Duo-confort shower mixer set
· With diverter integrated into the flow regulator.
· Telescopic shower bar.
· Stainless steel adjustable shower head: 300x300 mm.
· Adjustable and sliding support for hand shower.
· Anti-limescale hand shower: 96x110 mm. (3 functions).
· Satin hose.



	22119901	525,00
	22119901NM	814,00
	22119901BM	814,00
	22119901AC	814,00
	22119901KMB	893,00
	22119901VO	893,00
	22119901CA	893,00
	22119901GR	893,00
	22119901OM	1.260,00
	22119901OPM	1.260,00



Rapid-box 2-way concealed single-lever shower mixer kit
✖ Concealed body not included (ref. 20828110).
· 2-way distributor lever.
· Wall-mounted arm with stainless steel shower head: 300x300 mm.
· Wall-mounted support for hand shower with water supply.
· Anti-limescale hand shower: 96x110 mm. (3 functions).
· Satin hose.




	22138004	500,00
	22138004NM	775,00
	22138004BM	775,00
	22138004AC	775,00
	22138004KMB	850,00
	22138004VO	850,00
	22138004CA	850,00
	22138004GR	850,00
	22138004OM	1.200,00
	22138004OPM	1.200,00



Concealed Rapid-box, 2-way

20828110	95,00
----------	-------



Single-lever bath edge mixer

- Inverter integrated into the bath spout.
- Anti-limescale brass hand shower.
- 230 mm bath spout. Water flow: 3 bar - 13 l/min.
- Optional tank kit not included ref.: 20024501.

21116103	418,00
21116103NM	648,00
21116103BM	648,00
21116103AC	648,00
21116103KMB	711,00
21116103OM	1.003,00
21116103OPM	1.003,00




Tank for bath edge tapware

20024501	444,00
----------	--------



Click-clack drainage valve with overflow and drainage point

134445	107,00
--------	--------




2-way Over-wall thermostatic shower mixer set

- With integrated diverter in the flow regulator.
- Handle with rounded edges.
- Telescopic shower bar.
- Stainless steel adjustable shower head: 300x300 mm.
- Adjustable and sliding support for hand shower.
- Anti-limescale hand shower: 96x110 mm. (3 functions).
- Satin hose.

19038702	652,00
19038702NM	1.010,00
19038702BM	1.010,00
19038702AC	1.010,00
19038702KMB	1.108,00
19038702CA	1.108,00



Z9916834XX



Therm-box 2-way concealed thermostatic shower kit

- Concealed body not included (ref. 20785001).
- Square-round lever with temperature control and distribution lever.
- Wall-mounted arm with adjustable stainless steel shower head: 300x300 mm.
- Wall-mounted support for hand shower with water supply.
- Anti-limescale brass hand shower.
- Satin hose.

21135004	540,00
21135004NM	837,00
21135004BM	837,00
21135004AC	837,00
21135004KMB	918,00
21135004VO	918,00
21135004CA	918,00
21135004GR	918,00
21135004OM	1.296,00
21135004OPM	1.296,00



Concealed Therm-box, 2-way

20785001	140,00
----------	--------





Canigó

Tres has endowed the Canigó collection with features that promote water and energy savings. The inclined trajectory of the lever and the robustness of the bodies blend seamlessly with the rounded angles of its contours, giving the entire collection character and distinction.



Versatility and reliability for a functional and luminous bathroom. The balanced design of the Canigó collection ensures comfort, durability, and coherence in hotels.




←
21735004
Chrome

↑
21710401
Chrome

Washbasin taps





Technical drawing showing dimensions: 142 (width), 146 (height), 390 (height to spout), Max. 45 (height to base), Ø34 (base diameter), 105 (height to spout), 73 (height to spout), 29° (spout angle), G3/8 (connection).

Single-lever washbasin mixer

G3/8 flexible hoses.


21710303 82,00

29903504

Extension base 1 cm

29910316 12,00





Technical drawing showing dimensions: 142 (width), 146 (height), 450 (height to spout), Max. 45 (height to base), Ø34 (base diameter), 105 (height to spout), 73 (height to spout), 29° (spout angle), G3/8 (connection).

Eco-efficient single-lever washbasin mixer

G3/8 flexible hoses.


21710401 91,00

29903505

Extension base 1 cm

29910316 12,00





Technical drawing showing dimensions: 204 (width), 273 (height), Max. 45 (height to base), Ø34 (base diameter), 166 (height to spout), 195 (height to spout), 29° (spout angle), G3/8 (connection).


High single-lever washbasin mixer with Tres-duo

G3/8 flexible hoses.

21720301 154,00

29903501





Technical drawing showing dimensions: 194 (width), 120 (width), 259 (width), 74 (height), 240 (height).

Visible part for recessed sink body


✖ Concealed body not included (ref. 20830002). Visible part only. Includes concealing plate, lever and 240 mm spout.

21730024 126,00

Recessed body for sink mixer

20830002 90,00

Bidet taps



Single-lever bidet mixer

G3/8 flexible hoses.

21712001


86,00



Extension base 1 cm

29910316

12,00



Concealed single-lever WC/ bidet mixer


With cold and hot water. Hand shower with 5 l/min limiter coupling and non-drip system. Fixed support for hand shower for installation on right or left. Satin hose.

21712301

187,00



Shower area




Wall-mounted single-lever shower mixer

120x120 mm anti-limescale hand shower. (3 functions). Adjustable support for hand shower. Reinforced metal hose.

21716701

125,00




Wall-mounted single-lever mixer for bath and shower

120x120 mm anti-limescale hand shower. (3 functions). Adjustable support for hand shower. Reinforced metal hose.

21717001

146,00






2-way wall-mounted single-lever shower mixer set

21719101

314,00

- With inverter integrated into the shower bar.
- Adjustable shower head: 242x242 mm.
- Adjustable and sliding support for hand shower.
- 120x120 mm anti-limescale hand shower. (3 functions).
- Metal hose.




2-way wall-fitted single-lever shower mixer

21819110

326,00

- With diverter integrated.
- Adjustable shower head: 242x242 mm.
- Adjustable and sliding support for hand shower.
- 120x120 mm anti-limescale hand shower. (3 stream types).
- Metal hose.



Visible part for concealed 1-way Rapid-box

21727810

65,00


- ✖ Concealed body not included (ref. 20827810).
- Only visible part. Includes trim plate, control, cap and concealed attachment screw.



Concealed Rapid-box, 2-way

20827810

85,00




Shower bar set

Shower bar: length 673 mm and Ø 20,6 mm. Adjustable and sliding support for hand shower. Anti-limescale hand shower. Satin hose.

03463709

72,00




Shower bar set

Shower bar: length 850 mm and Ø 19 mm. Adjustable and sliding support for hand shower. Anti-limescale hand shower. Satin hose.

06192801

123,00



Shower bar set with wall water supply


Support for hand shower with wall water supply. Shower bar: length 575 mm and Ø 20.6 mm. Adjustable and sliding support for hand shower. Anti-limescale hand shower. Satin hose.

06193103

140,00




	Elbow with wall connection for hose	20518301	37,00
	With G1/2" wall water supply.	20518301NM	58,00



	Rapid-box 2-way concealed single-lever shower mixer kit	21738004	338,00
	Concealed body not included (ref. 20828110).		


- 2-way distributor lever.
- Wall-mounted arm with adjustable shower head: 242x242 mm.
- Wall-mounted support for hand shower with water supply.
- 120x120 mm anti-limescale hand shower. (3 functions).
- Metal hose.



	Concealed Rapid-box, 2-way	20828110	95,00
---	----------------------------	----------	-------

	Wall-mounted thermostatic shower mixer kit	21738502	277,00
	Shower bar: length 640 mm.		

- Adjustable and sliding support for hand shower.
- 120x120 mm anti-limescale hand shower. (3 functions).
- Metal hose.






Wall-mounted thermostatic bath and shower mixer kit

21738501 334,00

- Shower bar: length 640 mm.
- Adjustable and sliding support for hand shower.
- 120x120 mm anti-limescale hand shower. (3 functions).
- Metal hose.




Technical drawing showing dimensions and components for the wall-mounted thermostatic bath and shower mixer kit. Dimensions include: shower bar length 640 mm, total height 710 mm, mounting hole spacing 135-165 mm, and G1/2 connection. Components shown include ABS (29916830) and 29916830.



2-way Over-wall thermostatic shower mixer set

19039316 496,00

- With integrated diverter in the flow regulator.
- ABS round lever.
- Stainless steel adjustable shower head: 300x300 mm.
- Adjustable and sliding support for hand shower.
- Anti-limescale hand shower: 120x120 mm. (3 functions).
- Metal hose.



Technical drawing showing dimensions and components for the 2-way Over-wall thermostatic shower mixer set. Dimensions include: shower head size 300x300 mm, total height 1114 mm, and G1/2 connection. Components shown include ABS (29916831) and 29916831.




Therm-box 2-way concealed thermostatic shower kit

21735004 334,00

✗ Concealed body not included (ref. 20785001).

- ABS round lever with temperature control. 2-way ceramic distributor.
- Wall-mounted arm with adjustable shower head: 242x242 mm.
- Wall-mounted support for hand shower with water supply.
- 120x120 mm anti-limescale hand shower. (3 functions).
- Metal hose.



Technical drawing showing dimensions and components for the Therm-box 2-way concealed thermostatic shower kit. Dimensions include: shower head size 242x242 mm, total height 2100 mm, and G1/2 connection. Components shown include ABS (29926828) and 29926828.




Concealed Therm-box, 2-way

20785001

140,00






Complements

To complete the installation of your taps, you will need the complements grouped here. Everything required to configure the bathroom: siphons, drainage valves, shut-off valves or bathroom accessories. Solutions designed to ensure performance, efficient maintenance and durability.


Drainage valves



Click-clack Simple-rapid washbasin drainage valve

Suitable for washbasins with and without overflow. Click-clack operation. Plug Ø 63 mm. Simple-rapid easy installation.

24284001	52,00
24284001NM	81,00
24284001BM	81,00
24284001AC	81,00
24284001KMB	89,00
24284001VO	89,00
24284001CA	89,00
24284001GR	89,00
24284001OM	126,00
24284001OPM	126,00




Click-clack drainage valve for washbasin without overflow

Without overflow. Click-clack operation. Plug: Ø 37 mm.


134215026	14,00
-----------	-------

Siphons



Round telescopic and inspectionable drain trap with skirt for washbasin


16110342	182,00
16110342NM	282,00
16110342BM	282,00
16110342AC	282,00
16110342KMB	309,00
16110342VO	309,00
16110342CA	309,00
16110342GR	309,00
16110342OM	437,00
16110342OPM	437,00



Telescopic and inspectionable bottle-type drain trap for washbasin

13463430	34,00
03463430NM	79,00
03463430BM	79,00
03463430AC	79,00
03463430KMB	90,00
03463430VO	90,00
03463430CA	90,00
03463430GR	90,00
03463430OM	244,00
03463430OPM	244,00

Supports with wall connection



Fixed support with water supply for hand shower and hose

Non-return valve. With impact protection.


26118221	45,00
26118221NM	70,00
26118221BM	70,00
26118221AC	70,00
26118221KMB	76,00
26118221VO	76,00
26118221CA	76,00
26118221GR	76,00
26118221OM	108,00
26118221OPM	108,00

Shut-off valves

Angle valve with filter

R1/2 - R3/8


9134525	17,00
9134525NM	27,00



Angle valve with filter


R1/2 - R1/2

29952505	17,00
----------	-------



Angle valve


13474210	14,00
----------	-------



Concealed shut-off valve

Female thread connection: 1/2".


06115501	89,00
06115501NM	138,00
06115501BM	138,00
06115501AC	138,00
06115501KMB	151,00
06115501VO	151,00
06115501CA	151,00
06115501GR	151,00
06115501OM	213,00
06115501OPM	213,00



Concealed shut-off valve

Female thread connection: 3/4".

06151101	97,00
06151101NM	151,00
06151101BM	151,00
06151101AC	151,00
06151101KMB	166,00
06151101VO	166,00
06151101CA	166,00
06151101GR	166,00
06151101OM	234,00
06151101OPM	234,00



Bathroom accessories

Towel rail

480 mm.



16123601	64,00
16123601NM	100,00
16123601BM	100,00
16123601AC	100,00
16123601KMB	109,00
16123601VO	109,00
16123601CA	109,00
16123601GR	109,00
16123601OM	154,00
16123601OPM	154,00


Towel rail

580 mm.




16123602	67,00
16123602NM	104,00
16123602BM	104,00
16123602AC	104,00
16123602KMB	115,00
16123602VO	115,00
16123602CA	115,00
16123602GR	115,00
16123602OM	162,00
16123602OPM	162,00

Toilet paper holder without cover




16123606	32,00
16123606NM	50,00
16123606BM	50,00
16123606AC	50,00
16123606KMB	55,00
16123606VO	55,00
16123606CA	55,00
16123606GR	55,00
16123606OM	111,00
16123606OPM	111,00

Robe hook



16123620	19,00
16123620NM	30,00
16123620BM	30,00
16123620AC	30,00
16123620KMB	33,00
16123620VO	33,00
16123620CA	33,00
16123620GR	33,00
16123620OM	46,00
16123620OPM	46,00


Floor toilet brush holder



16133602	77,00
16133602NM	119,00
16133602BM	119,00
16133602AC	119,00
16133602KMB	131,00
16133602VO	131,00
16133602CA	131,00
16133602GR	131,00
16133602OM	266,00
16133602OPM	266,00


Flush button

Dual flush button for WC



25429801	195,00
25429801NM	302,00
25429801BM	302,00
25429801AC	302,00
25429801KMB	332,00
25429801VO	332,00
25429801CA	332,00
25429801GR	332,00
25429801OM	468,00
25429801OPM	468,00

Dual flush button for WC



25429802	195,00
25429802NM	302,00
25429802BM	302,00
25429802AC	302,00
25429802KMB	332,00
25429802VO	332,00
25429802CA	332,00
25429802GR	332,00
25429802OM	468,00
25429802OPM	468,00





Outdoor taps

In outdoor environments such as gardens, hotels or residential areas, pool showers have become an essential element. They not only provide comfort and hygiene, but can also add design, functionality and sustainability, aligning with current trends in architecture and outdoor equipment.

Outdoor taps



↑
13499502
316 stainless steel

→
13499504
316 stainless steel

Made of 316 stainless steel, these showers are ideal for outdoor use. Resistant to sun, rain, and temperature changes, they ensure durability and high performance over time.








←
13499505
316 stainless steel

Outdoor taps





Outdoor shower made of 316 stainless steel

INOX 13499505

1.717,00

- Made from 316 stainless steel.
- With outdoor treatment. Together with proper maintenance, it prevents deterioration.
- With floor water supply.
- Fixed shower head with anti-limescale system.
- Adjustable lower shower for washing feet.
- Handle for adjusting the water flow from both shower heads, and another for controlling the temperature.





Outdoor shower made of 316 stainless steel

INOX 13499506

1,717,00

- Made from 316 stainless steel.
- With outdoor treatment. Together with proper maintenance, it prevents deterioration.
- With floor water supply.
- Ø 295 mm fixed shower head with anti-limescale system.
- Shower for washing feet.
- Handle for adjusting the water flow from both shower heads, and another for controlling the temperature.




Outdoor shower made of 316 stainless steel

INOX 13499507

1.819,00

- Made from 316 stainless steel.
- With outdoor treatment. Together with proper maintenance, it prevents deterioration.
- With floor water supply.
- Ø 295 mm fixed shower head with anti-limescale system.
- Support with hand shower.
- Handle for adjusting the water flow from both shower heads, and another for controlling the temperature.





Outdoor shower made of 316 stainless steel

13499504

1.905,00

- Made from 316 stainless steel.
- With outdoor treatment. Together with proper maintenance, it prevents deterioration.
- With floor water supply.
- Ø 295 mm fixed shower head with anti-limescale system.
- Adjustable lower shower for washing feet.
- Handle for adjusting the water flow from both shower heads, and another for controlling the temperature.





Double outdoor shower made of 316 stainless steel

13499502

1.792,00

- Made from 316 stainless steel.
- With outdoor treatment. Together with proper maintenance, it prevents deterioration.
- With floor water supply.
- Two shower heads with anti-limescale system.
- Two adjustable lower shower heads for washing feet.
- Both shower heads feature a valve for adjusting the water flow from both heads, and another for controlling the temperature.




Outdoor shower made of 316 stainless steel

13499501

1.680,00

- Made from 316 stainless steel.
- With outdoor treatment. Together with proper maintenance, it prevents deterioration.
- With floor water supply.
- Shower head with anti-limescale system.
- Adjustable lower shower for washing feet.
- Handle for adjusting the water flow from both shower heads, and another for controlling the temperature.






Outdoor shower made of 316 stainless steel

13499503

1.118,00

- Made from 316 stainless steel.
- With outdoor treatment. Together with proper maintenance, it prevents deterioration.
- Outdoor fitting with connection for hose.
- Upper shower head with anti-limescale system.




1 water wall-mounted single-lever set for outdoor use

07099501

335,00

- Adjustable shower head: Ø 250 mm.



1 water wall-mounted timed shower set for outdoor use

01299601

292,00


- Adjustable shower head: Ø 250 mm.



Wall-mounted mixer with 1 water outlet for garden
with aerator.

03450101


28,00



Wall-mounted mixer with 1 water outlet and quick hose
connection

03450102

30,00








Electronic taps

Tres electronic tapware combines minimalist design with touch-free activation to enhance hygiene, water efficiency, and the user experience. Ideal for public spaces, hospitality, or contemporary bathrooms seeking responsible, technology-driven solutions.



Wall-mounted electronic washbasin mixer with 1 water outlet

Operated by infrared sensor. The battery box is located inside the spout itself. G1/2 male threaded connection.

39210318

335,00


Without doing any work


The battery box is located inside the spout itself.

Patented system.



4 x
AAA / LR06
Batteries NOT include
Long life: 8 years





Electronic washbasin mixer with pre-mixing system
 Operated by infrared sensor. Includes a 2-outlet mixer valve with flexible hoses.



5,7 l/min

20261320	427,00
20261320NM	662,00
20261320BM	662,00
20261320AC	662,00
20261320KMB	726,00
20261320OM	1.025,00
20261320OPM	1.025,00







Kitchen area

Tres kitchen taps combine refined design, ergonomics and advanced technical solutions. Smooth rotation, precise control and durable finishes for demanding everyday use. A versatile range that transforms the kitchen into an efficient space with its own character.



↑
23043804VO
Volcanic

→
23048702CA
Golden cava



A gastronomic space where design takes center stage. The tapware brings precision, ergonomics, and elegance to functional hospitality environments with a high aesthetic standard.








←
23044003
Chrome

↑
23050301NM
Matte black



↑
23044501OPM
Matte rose gold 24k


Single-lever mixer taps



Single-lever kitchen mixer
With G3/8 flexible hose.




23044002	262,00
23044002NM	406,00
23044002BM	406,00
23044002AC	406,00
23044002VO	446,00
23044002CA	446,00
23044002GR	446,00
23044002OM	629,00
23044002OPM	629,00



Single-lever kitchen mixer
With G3/8 flexible hose.




23044003	235,00
23044003NM	365,00
23044003BM	365,00
23044003AC	365,00
23044003VO	400,00
23044003CA	400,00
23044003OM	565,00
23044003OPM	565,00



Single-lever kitchen mixer
With G3/8 flexible hoses.



21644020	98,00
----------	-------




Single-lever kitchen mixer
With G3/8 flexible hoses.



21644720	90,00
----------	-------

With folding spout




Single-lever kitchen mixer with folding spout
· With G3/8 flexible connection hoses.
· Total height with spout down: 6 cm.



23033503	257,00
23033503NM	398,00
23033503BM	398,00
23033503AC	398,00
23033503VO	437,00
23033503CA	437,00
23033503GR	437,00
23033503OM	616,00
23033503OPM	616,00

With flexible spout




Single-lever kitchen mixer with flexible spout

- Magnetic attachment of spout to the support.
- With G3/8 flexible connection hoses.




23048702	385,00
23048702NM	597,00
23048702VO	655,00
23048702CA	655,00
23048702OM	924,00
23048702OPM	924,00



Single lever kitchen mixer with dual function pull-out spout

With G3/8 flexible hose.

03048501	321,00
----------	--------




Single lever kitchen mixer with dual function pull-out spout

With G3/8 flexible hose.

03049301	315,00
----------	--------

With pull-out spout




Single lever kitchen mixer with dual function pull-out spout

With retractable braided polyamide hose. With G3/8 flexible hose.

23043804	203,00
23043804NM	315,00
23043804VO	346,00
23043804CA	346,00

Electronic




Electronic kitchen mixer

- Activated by infra-red sensor.
- Temperature adjustment using a lever on the body.
- With G3/8 flexible connection hoses.



23044501	674,00
23044501NM	1.045,00
23044501AC	1.045,00
23044501VO	1.146,00
23044501CA	1.146,00
23044501OM	1.618,00
23044501OPM	1.618,00




Industrial double-single-lever kitchen mixer with dual function pull-out spout
With G3/8 flexible hoses.

130495

487,00



29959301 9134282




Industrial single-lever kitchen mixer with dual function pull-out spout
With G3/8 flexible hoses.

130484

348,00



9134290









Pull-out spout for industrial kitchen with water outlet on sink surface
Without accessories. Complement with a pedal mixer or concealed single-lever mixer.


130481

294,00




 	Pedal mixer with 2-outlet mixer Press the pedal to progressively increase the water temperature with a constant flow.	■ 112370 246,00
 	Single-lever 1-way faucet surface-mounted	■ 03416101 86,00
Taps for various uses		
 	mixer with 1 water outlet and lateral lever for office or utility room With G1/2 male threaded connection.	■ 21530601 19,00
 	Wall-mounted mixer with 1 water outlet for office or utility room With G1/2 male threaded connection.	■ 21550601 21,00
 	Wall-mounted mixer with 1 water outlet for office or utility room With G1/2 male threaded connection. 66 mm spout.	■ 21552001 17,00
 	Wall-mounted mixer with 1 water outlet for office or utility room With G1/2 male threaded connection. 106 mm spout.	■ 21552002 21,00

For filtered water



- Separate flow regulation and closure.
- Includes a filter for six months (10,000 litres) of filtered water.
- The filter removes bacteria, viruses and heavy metals.
- Flexible G3/8 connection hoses.

23045402	385,00
 23045402NM	597,00



With G3/8 flexible shower hose.

	23050301	161,00
	23050301NM	249,00
	23050301VO	273,00
	23050301CA	273,00
	23050301GR	273,00
	23050301OM	385,00
	23050301OPM	385,00



Seven+

- Eliminates: Chemical substances, pharmaceutical products, heavy metals, pesticides, bacteria, particulates and viruses.
- 10.000 liters of efficiency with standard usage conditions.
- Minimal installation work in almost no space at all.
- The filter can be replaced easily.





Tres Cleaner. mixerware cleaner for kitchen and bathroom

134100106

17,00

- Shines surfaces.
- Removes finger marks.
- Repels dirt.
- Removes limescale.
- Anti-static effect.
- 750 ml.



Polishes surfaces



Removes fingerprints



Repels dirt
Gets rid of limescale



Prevents static



With the nozzle open, the liquid disperses in a fine spray which reaches wider areas like screen doors and mirrors.



With the nozzle closed, the cleaning foam adheres and acts significantly more efficiently on dirt for a deeper clean.



Box with 12 units. Tres Cleaner. mixerware cleaner for kitchen and bathroom

134100106CB12 185,00

- Shines surfaces.
- Removes finger marks.
- Repels dirt.
- Removes limescale.
- Anti-static effect.
- 750 ml.

TRES *cleaner*

The best product for cleaning
metallic and shiny tap surfaces




Projects by Tres

A selection of projects developed in collaboration with architects and interior designers from around the world.



Secrets Playa Mujeres Golf & Spa Resort
Playa Mujeres, Cancún



Hotel Santos Portafira
Hospitalet del Llobregat, España




Lap Culiacan
San Andrés Cholula, México



Zamek Topacz
Janów Podlaski, Polonia



Nosalowy Dwór Resort & SPA
Zakopane, Polonia



Secrets Punta Cana
Punta Cana, República Dominicana



Hotel Barcelona Princess
Barcelona, España



Zafiro Hotels
Mallorca, España





Inspiring projects to share

@tres.griferia



Tres finishes



Trivalent chrome ensures a bright, durable and environmentally responsible finish.




Chrome



Solvent-free eco-friendly paint that guarantees durability, stability and corrosion resistance.



Matte black



Matte white




Special finishes with high-quality epoxy paint.




Steel




The PBT® multilayer process guarantees a finish with maximum corrosion resistance, long-lasting adhesion and colour stability.



Black bronze



Volcanic



Golden cava




Graphite



Tres guarantees the authenticity of the 24-carat gold plating on its gold pieces, as well as their manufacturing quality.



Matte gold 24k



Matte rose gold 24k



Faucets with purpose,
designed and manufactured
in Barcelona since 1968.
Mediterranean design,
real sustainability,
and human service.

 @tres.griferia

 Tres.Griferia

 @tresgriferia

 tresgriferia

 @tres.griferia



TRES COMERCIAL SL

C/ Penedès, 16-26
Zona Industrial, Sector A
08759 Vallirana (Barcelona)
España

sat@tresgriferia.com
+34 93 683 41 34

TRES POLSKA Sp. z o.o.

ul. Traktorowa 192
91-218 Łódź | Polska
reklamacje@tresgriferia.com
0 42 611 05 41

TRES MÉXICO

Avenida Insurgentes Sur 700
Colonia del Valle Nte,
Alcaldía Benito Juárez
03103 CDMX, México

España

comercial@tresgriferia.com
+34 93 683 40 27

Portugal

portugal@tresgriferia.com
+351 707 502 134

France

france@tresgriferia.com
+33 (0) 4 267 87 520

Deutschland

deutschland@tresgriferia.com
+49 (0) 6 917 008 323

Benelux

benelux@tresgriferia.com
+34 93 683 40 27

United Kingdom

uk@tresgriferia.com
+34 93 683 40 27

Italia

italia@tresgriferia.com
+34 93 683 40 27

International

export@tresgriferia.com
+34 93 683 40 27

East Europe

eksport@tresgriferia.com
+48 42 611 05 40

Polska

zamowienia@tresgriferia.com
0 42 611 05 40

México

latam@tresgriferia.com
+52 55 5682 5577

tresgriferia.com